

WEWORKOUT WITH THE BEST

2nd place at the Arnold Strongman Classic 2023

Mateusz Kieliszkowski

WHO WE ARE?

- one of the largest recyclers of used tyres in Europe
- manufacturer of the best quality RECYCLED RUBBER (RR) granule for rubber products. Thanks to our selective collection of tyres and innovative production line we make the purest RR granulate on the market
- the Rubtiler factory, located in the center of Poland, has a modern and automated production line for the production of rubber tiles and mats, which makes the brand the leader in global markets

RUBTILER'S OFFER

- rubber surfaces and accessories for gyms, fitness rooms, and crossfit zones
- safe rubber tiles for playgrounds and outdoor recreation facilities
- flexible exterior architectural elements for urban areas, home and garden
- vibration insulating mats used in industry, construction, and the railway sector
- road infrastructure elements
- animal breeding surfaces

WHY RUBTILER?

- a guarantee of the highest standards of production monitoring of every stage, from tyre selection to tile shipment control
- modern technologies the automated production line guarantees high repeatability of products and the highest quality on the market
- all products are subjected to laboratory tests and long-term strength and functional tests
- our products undergo the necessary examinations and have the required certificates: CFL and DFL (flammability certificates), HIC (fall safety certificate), TÜV Nord Certificate (antivir and bacteriostatic)
- easy and reliable installation of offered products
- possibility to mark and personalize products according to the Customer's project
- professional advice on the selection of appropriate assortment and after-sales service
- short delivery times

Take your gym to the next safety level, contact us to learn more.

WHAT MAKES US DIFFERENT

At Rubtiler, we carry out complex recycling of used car tires - from their selection to the production of rubber components. This is made possible by one of the most advanced machineries in Europe, financed with EU funds between 2010 and 2013. We use only truck tires of well-known brands from Western Europe, which enables us to produce RR granule of the best properties and high quality. The multi-stage removal of contaminants leads to product purity of 99.9%, which distinguishes our products on a global scale.

EVIDENCES

we focus on high quality, which is confirmed by such certificates as:

- REACH Declaration of Conformity
- ISO 9001:2015
- TÜV NORD Certificate Proven Product
- VOC EMISSION TEST REPORT Indoor Air Comfort GOLD® VOC FREE
- technical specification EN 14041:2004/AC:2006
- acoustics airborne sound insulation measurement PN-EN ISO 10140-2:2021-10
- acoustics impact sound insulation measurement PN-EN ISO 10140-3:2021-10
- classification in the field of reaction to fire CFL-S1, DFL-S1, EFL
- HIC (Head Injury Criterion) up to 3.6 m
- Guarantee of the Highest Quality Rubber Plates 5 kg, 10 kg, 15 kg, 20 kg

COULD YOU IMAGINE THAT YOUR GYM'S FLOOR AND BUMPERS, TOUCHED BY HUNDREDS OF HANDS A WEEK, CAN BE SAFE FROM VIRUSES AND BACTERIA?!

Rubtiler Vir & Bact Protect product has been certified as a TÜV NORD Tested Product.

The answer is Rubtiler Vir & Bact Protect

- easier to clean and maintain
- sweat odour and stain reduction
- up to 90% less viruses and bacteria

VIR&BACT PRODUCTS

PRODUCT AVAILABLE IN OPTION WITH VIR&BACT PROTECT





_EXPERT

GRANULATE PRODUCTS_

13:07:07/04/2022

RUBTILER

CATALOGUE

OVERLAYER

PROTECT FLOORS AND REDUCE NOISE

IMPORTANT FEATURES

- extreme durable layer with density up to 1200 $\mbox{kg/m}^{\mbox{\tiny 3}}$
- both layers laminated in hot process perfect bond guaranteed
- 3 different bottom patterns: flat, antishock, R-PAD
- shock and noise absorbing ΔLw up 21 dB
- recycled rubber RRT and/or virgin EPDM
- EFL, DFL and CFL fire classification



EDGE

EDGE

BEVELLED


TYPE PUZZLE *****

TYPE

SQUARE ^^^^

RUBTILER RT OVERLAYER SQUARE/PUZZLE

WIDTH LENGTH HEIGHT 1000 mm 1000 mm 20-60 mm 20-60 mm 1000 mm 500 mm 990 mm 990 mm 10-30 mm






4-PIN CONNECTOR

RUBBER TILE CONNECTOR



UP TO 5 CONNECTORS PER LINEAR METRE DEPENDING ON INSTALATION WAY AND TILE SIZE



R-PAD botton

RUBTILER R-PAD BOTTOM DESIGN heavy-duty with maximum shock absorption and anti-fatigue properties




TABLE OF CONTENTS

RUBTILER GYM FLOORING	12
FITNESS AND SPORT	14
CROSSFIT AND FREE WEIGHTS	18
FITNESS ZONE AND SLED TRACK	20
RUBBER BUMPERS	22
RUBBER CABLE COVERS	24
TAKE YOUR WORKOUT OUTSIDE	26
OUTDOORS GYM	28
ZERO WASTE	30
RUBTILER COLOUR COBINATIONS	32

RUBTILER GYM FLOORING

INDOOR RUBBER TILE

RUBTILER - professional rubber mats and tiles manufactured exclusively in Poland. Available in a wide range of sizes, finishing and heights, perfect for both commercial and residential applications. As an expert in rubber products, we ensure that the solution you get, is designed as well as manufactured for your specific need.

FEATURES:

- square and puzzel shape
- anti-slip protection
- sound absorbing properties
- protection against injury
- surfaces STANDARD, SLICE, PREMIUM and OVERLAYER
- easy assembly (DIY) and maintain
- high repeatability
- safe and aesthetic edging
- 4 PIN CONNECTOR READY
- VOC FREE
- NOISE REDUCTION (sound insulation tested)



RUBTILER

FITNESS AND SPORT

PROTECT FLOORS AND REDUCE NOISE



CARDIO & STRENGHT



MACHINE








SOUNDPROOF



VOC FREE







IMPORTANT FEATURES

- dry lay flooring
- seamless appearance
- available with puzzle cut edging ramp
- density up to 1200 kg/m3

VIR&BACT PRODUCTS

PRODUCT AVAILABLE IN OPTION WITH VIR&BACT PROTECT





RUBTILER RRT STANDARD/PREMIUM PUZZLE RUBTILER PUZZLE with fire clasification

HEIGHT WIDTH LENGTH 990 mm 990 mm 10-30 mm

HEIGHT WIDTH LENGTH 10-30 mm 990 mm 990 mm






RUBTILER RRT OVERLAYER PUZZLE STANDARD/PREMIUM/MOSAIC/EPDM


WIDTH LENGTH HEIGHT 990 mm 990 mm 10-30 mm



WIDTH LENGTH HEIGHT 980 mm 2-15 mm 490 mm 490 mm 2-15 mm



HEIGHT



FITNESS AND SPORT

PROTECT FLOORS AND REDUCE NOISE











SOUNDPROOF








RUBTILER bevelled tiles can be installed directly over almost any existing flooring from concrete to wood. Tiles are highly durable, able to withstand the frequent impact of weights for a long period of time. Suitable for use in free weight areas as well as underneath fitness machines.

IMPORTANT FEATURES



TYPE

SQUARE

EDGE

BEVELLED

- bevelled edges - straight and corner edging ramps
- available density up to 1200 kg/m3

VIR&BACT PRODUCTS







RUBTILER RRT STANDARD/PREMIUM BEVEL

LENGTH WIDTH HEIGHT 1010 mm 1010 mm 10-50 mm 20-50 mm 500 mm 500 mm



RUBTILER RRT OVERLAYER BEVEL

WIDTH LENGTH HEIGHT 1000 mm 1000 mm 20-40 mm 1010 mm 1010 mm 10-40 mm




4-PIN CONNECTOR

TILE HEIGHT 20-60 mm



RUBTILER BEVEL with fire classification

WIDTH LENGTH HEIGHT 1010 mm 1010 mm 10-50 mm 500 mm 500 mm 20-50 mm



RUBTILER RRT EDGE/RAMP

HEIGHT 10-50 mm





RUBTILER

PROTECT FLOORS AND REDUCE NOISE















VOC FREE




Our ANTISHOCK SHIELD solution is perfect for use in free weight areas due to the excellent impact and sound absorbing properties. ANTISHOCK tiles are most popular as for cross fit, commercial gym flooring, weight room tiles, under gym machinery, as 2nd-floor gym flooring, as mats for Olympic lifting and much more. This flooring provides superior protection to the surface underneath, as the rubber studs shield compress under pressure to reverse the weight hit from the surface.

IMPORTANT FEATURES

- anti-slip protection
- sound and shock absorbing qualities
- protection against injury
- surfaces STANDARD, SLICE, PREMIUM, OVERLAYER
- easy assembly (DIY)
- high repeatability
- VOC FREE
- fire resistance EFL, DFL and CFL certificate



EDGE



TYPE

SQUARE ۸۸۸۸۸۸

RUBTILER RRT ANTISHOCK STANDARD/PREMIUM/MOSAIC/OVERLAYER

WIDTH	LENGTH	HEIGHT
1000 mm	1000 mm	25-62 mm
1000 mm	500 mm	25-62 mm
500 mm	500 mm	25-62 mm

RUBTILER RRT ANTISHOCK with fire classification

WIDTH	LENGTH	HEIGHT
1000 mm	1000 mm	25-62 mm
1000 mm	500 mm	25-62 mm
500 mm	500 mm	25-62 mm




R-PAD




low antishock



antishock







CATALOGUE



















RUBTILER tiles with artificial grass offer a safe, flexible space to practice new routines and weight training. Compatible with pull sleds.

RUBTILER SLED GRASS PUZZLE/GREEN

WIDTH	LENGTH	HEIGHT
980 mm	980 mm	10-20 mm
990 mm	990 mm	10-30 mm
490 mm	490 mm	10-20 mm



RUBTILER SLED GRASS SQUARE/GREEN

WIDTH	LENGTH	HEIGHT
1010 mm	1010 mm	10-30 mm
1000 mm	1000 mm	20-60 mm
950 mm	950 mm	10-20 mm



RUBTILER SLED GRASS PUZZLE/BLACK

WIDTH	LENGTH	HEIGHT
980 mm	980 mm	10-20 mm
990 mm	990 mm	10-30 mm
490 mm	490 mm	10-20 mm



RUBTILER SLED GRASS SQUARE/BLACK

19

WIDTH	LENGTH	HEIGHT
1010 mm	1010 mm	10-30 mm
1000 mm	1000 mm	20-60 mm
950 mm	950 mm	10-20 mm




- LONG and SHORT pile height
- green and black colour
- resistant to heavy loads (piles does not break off)
- finishing accessories
- simple installation and removal (DIY)
- does not deform
- two shapes PUZZEL and SQUARE




FREE WEIGHT

CATALOGUE

CATALOGUE





RUBBER BUMPER PLATES made of RR with a Stainless Steel Sleeve.

IMPORTANT FEATURES

- very durable rubber compound
- weight 5 kg, 10 kg, 15 kg, 20 kg
- diameter 45 cm
- certified, high impact resistance (20 000 throws no signs of wear)
- stainless steel protection sleeve
- smooth surface with embossed grammage and an inscription, Customer's brand
- different colour versions
- no unnecessary protrusions and embossing that show a poorly designed form
- high quality finish thanks to precisely designed forms
- customised logotype on request
- VOC FREE



RUBTILER RR BUMPER PLATE

DIAMETER WEIGHT

450 mm 5x10x15x20 kg



RUBTILER RR BUMPER PLATE VIR&BACT

DIAMETER WEIGHT 450 mm 5x10x15x20 kg



RUBTILER RR BUMPER PLATE MOSAICS

WEIGHT DIAMETER

5x10x15x20 kg 450 mm





Rubtiler RR Cable Covers are the reliable and aesthetic protection to electric power supply of your fitness equipment. Suitable to use at trade fairs, office, warehouse, garage and workshop.

IMPORTANT FEATURES

- hiding all cables in your gym or fitness studio
- organize unsightly and messy cords/cables thanks to in build channels
- tripping protection that prevents injury to your members
- handle heavy foot traffic
- made 100% of rubber
- perfect match with your rubber flooring high quality finish thanks to precisely designed forms
- customised logotype on request
- Vir&Bact Protect in option

BUILT IN/INTEGRATED





20x300 mm



LINER WITH ELECTRIC **SOCKET SLOT**

20x300 mm



LINER WITH ONE WIRELESS CHARGERS

20x300 mm



L SHAPE

20x200 mm



T SHAPE

20x300 mm



20x1000 mm



ON FLOOR



CROSS SHAPE

30x300 mm



LINER WITH ELECTRIC SOCKET SLOT

20x300 mm



LINER WITH ONE WIRELESS CHARGERS

20x300 mm



L SHAPE

20x200 mm



T SHAPE

20x200 mm

LINER

20x1000 mm

RUBBER FLOORING SOLUSION

CATALOGUE

RUBTILER

TAKE YOUR WORKOUT OUTDOOR

OUTDOOR SOLUTIONS

RUBTILER outdoor tiles are made from high quality recycled rubber and EPDM granules. Designed to keep you and your kids safe when playing on playground equipment, gym and athletic areas. Resist weathering, easy maintenance and long-term durability with proper drainage. Perfect tiles for multifunctional sport courts and recreation areas.

FEATURES:

- possibility to cut tiles to make them match equipment or irregular surface shapes
- fall height certified up to 340 cm (RUBTILER system)
- non-slip surface
- noise, shock, and thermal insulation
- available with UV protection
- laid on concrete screed, asphalt, well-hardened aggregate foundation
- perfect solution for a home playground (CrossFit, football, badminton, tennis, volleyball, etc.)
- easy installation and removal (DIY)
- VOC FREE



CATALOGUE

WIDTH

500 mm

LENGTH

500 mm

1000 mm 1000 mm

GRANULATE PRODUCTS_

OUTDOORS GYM













We offer perfect solution to upgrade every outdoor gym, playground, or simple backyard. RUBTILER OUTDOOR tiles designed to ensure your outdoor play area, safe, stylish and easy to maintain.


IMPORTANT FEATURES

- fall height certified
- water permeable for proper drainage
- excellent traction wet or dry



RUBTILER RRT DRAINAGE OUTDOOR GRILL

LENGTH HEIGHT WIDTH 1000 mm 1000 mm 25-60 mm 500 mm 500 mm 25-60 mm



RUBTILER RRT ANTISHOCK OUTDOOR

WIDTH LENGTH HEIGHT 1000 mm 1000 mm 25-62 mm 25-62 mm 1000 mm 500 mm 500 mm 25-62 mm 500 mm



RUBTILER RRT DRAINAGE OUTDOOR LINES

HEIGHT

25-60 mm

25-60 mm

RUBTILER RR CURBS

WIDTH LENGTH HEIGHT 750 mm 250 mm 45 mm



RUBTILER RR EDGES/RAMPS

WIDTH LENGTH HEIGHT 1000 mm 150 mm 25-60 mm





RUBTILER MOUNTING PINS or 4-PIN CONNECTOR




RUBTILER COLOUR COMBINATIONS

EPDM



RAL7038



Request a sample from your Rubtiler partner

RAL9004





WWW.RUBTILER.COM

AUBTILE

HEAD OFFICE Vinderen sp. z o.o. Jutrzenki 177 street 02-231 Warsaw, Poland info@rubtiler.com

RUBTILER PRODUCTION PLANT Vinderen sp. z o.o. Leśna 4 street 26-332 Sławno, Poland

Your business partner



GRANULATE PRODUCTS_