

Į

RUBB

GRANULATE PRODUCTS_

13:07:07/04/2025

RUBTILER

CATALOGUE

Ldddxd

<

UBBER

PRODUCTS_



WHOLE GYM by RUBTILER " W W A



FLOOR PANELS

- High durability and resistance to heavy foot traffic: perfect solution for busy common areas and lounges.
- Scratch resistant surface ensures durable stylish and modern look.
- Excellent shock absorption and slip-proof surface: ensures a safe and comfortable surface for dynamic workouts.
- 100% waterproof properties of our panels make them an ideal solution for wet areas, as they resist moisture and mildew.
- Fast one-man installation, easy to cut.
- Easy to maintain.







MOUNTING



CLASS





REDUCTION







PROTECTION







CLEANING



INSTALLATION

WALL PANELS

- Highly functional and durable, able to resist heavy usage and humidity.
- Modern, appealing look for locker rooms and shower areas in gyms, sports facilities and beyond.
- Robust construction and easy maintenance, provide lasting performance while giving every interior an elegant, professional look.
- The 100% waterproof design makes them ideal for wet areas.
- With a fast installation process, the space can be renovated quickly and noiselessly, making the wall panels a convenient choice for busy fitness centers looking for style, reliable performance and elimination of downtime in facility operations.



WATERPROOF



FIRE-RESISTANT





CAN BE USED OVER OLD TILES



FAST MOUNTING





EASY TO CUT







UV **PROTECTION**



NO GROUT



EASY BENDING

















WHO WE ARE?


- manufacturer of the best quality RECYCLED RUBBER (RR) granule for rubber products
- one of the largest recyclers of used tyres in Europe
- thanks to our selective collection of tyres and innovative production line, we make the purest RR granulate on the market
- the Rubtiler factory, located in the center of Poland, has a modern and automated production line to produce rubber tiles and mats, which makes the brand the leader in global markets

RUBTILER'S OFFER

- rubber surfaces and accessories for gyms, fitness rooms and training zones
- safe rubber tiles for playgrounds and outdoor recreation facilities
- flexible exterior architectural elements for urban areas, home and garden
- vibration insulating mats used in the industry, construction, and the railway sector
- road infrastructure elements
- animal breeding surfaces

WHY RUBTILER?

- a guarantee of the highest standards of the production monitoring of every stage,
 from tyre selection to tile shipment control
- modern technologies the automated production line guarantees high repeatability of the products and the highest quality on the market
- all products are subjected to the laboratory tests, long-term strength and functional tests
- our products have the required certificates: CFL and DFL (flammability certificates), HIC (fall safety certificate), TÜV Nord Certificate (antivir and bacteriostatic)
- easy installation of our products
- possibility to mark and personalize products according to the Customer's project
- professional advice on the selection of appropriate assortment and after-sales service
- short delivery times








WHAT MAKES US DIFFERENT

At Rubtiler, we carry out complex recycling of used car tires – from their selection to the production of rubber components. This is possible by one of the most advanced machineries in Europe. We use only truck tires of well-known brands from Western Europe, which enables us to produce RR granules of the best properties. The quality of the granulate determines the quality and durability of the products. The multi-stage removal of contamination leads to product **purity of 99.9%**, which distinguishes the quality of our products on a global scale.

EVIDENCES

We focus on high quality, which is confirmed by such certificates as:


- REACH Declaration of Conformity
- ISO 9001:2015
- TÜV NORD Certificate Proven Product
- technical specification EN 14041:2004/AC:2006
- acoustics airborne sound insulation measurement PN-EN ISO 10140-2:2021-10
- acoustics impact sound insulation measurement PN-EN ISO 10140-3:2021-10
- classification in the field of reaction to fire CFL-S1, DFL-S1, EFL, PN-EN 13501-1:2019
- HIC (Head Injury Criterion) up to 3.4 m
- Guarantee of the highest quality Rubber Plates 5 kg, 10 kg, 15 kg, 20 kg



WE WORKOUT WITH THE BEST



2nd place at the Arnold Strongman Classic 2023 & 2024







CADDIO & STDENICI



MACHIN



ΑΙΝΙΝΙ



TITNIFO



SOUNDPROOF





GYM FLOORING FOR FITNESS

PROTECT FLOORS AND REDUCE NOISE

RUBTILER - professional rubber mats and tiles manufactured exclusively in Poland. Available in a wide range of sizes, finishing and heights, perfect for both commercial and residential applications. As an expert in rubber products, we ensure that the solution you get, is designed as well as manufactured for your specific need.

IMPORTANT FEATURES


- square and puzzel shape
- anti-slip protection
- sound absorbing properties
- protection against injury
- surfaces **STANDARD**, **SLICE**, **PREMIUM** and **OVERLAYER**
- easy assembly (DIY) and maintain
- high repeatability
- safe and esthetic edging
- 4 PIN CONNECTOR
- NOISE REDUCTION (sound insulation tested)
- Available material with fire classification


EDGE






EDGE















STANDARD TILES

PROTECT FLOORS AND REDUCE NOISE



IMPORTANT FEATURES

- recycled rubber tiles (RRT)
- density up to 1100 kg/m³
- adhesive is not mandatory
- available with beveled edges or puzzle cut edging ramp
- straight and corner edging ramps for squares or puzzles
- perfect for gym chains and heavy ware usage



WIDTH LENGTH HEIGHT 980 mm 10-30 mm 1000 mm 1000 mm 10-60 mm

GYM FLOORING FOR FITNESS

PREMIUM TILES

GRANULATE PRODUCTS_

13:07:07/04/2025

RUBTILER


PROTECT FLOORS AND REDUCE NOISE




- recycled rubber tiles (RRT)
- density up to 1100 kg/m³
- adhesive is not mandatory

RUBTILER RRT PREMIUM PUZZLE/SQUARE WITH OR WITHOUT MOSAIC

LENGTH HEIGHT 1000 mm 1000 mm 10-60 mm












RUBTILER RT SLICE PUZZLE/SQUARE BLACK WITH OR WITHOUT MOSAIC

WIDTH LENGTH HEIGHT 980 mm 980 mm 6-15 mm 490 mm 490 mm 10 mm

- density up to 1100 kg/m³





XPERT _IN_ RUBBER GRANULATE PRODUCTS_

GYM FLOORING FOR FITNESS

OVERLAYER

PROTECT FLOORS AND REDUCE NOISE



IMPORTANT FEATURES

- extreme durable layer with density up to 1100 kg/m³
- both layers laminated in hot process perfect bond guaranteed
- 3 different bottom patterns: flat, antishock, R-PAD
- recycled rubber RRT and/or virgin EPDM
- premium look and super smooth surface

RUBTILER RT OVERLAYER SQUARE/PUZZLE

WIDTH LENGTH HEIGHT

1000 mm 1000 mm 20-60 mm

1000 mm 500 mm 20-60 mm

980 mm 980 mm 10-30 mm







FREE WEIGH



CARDIO & STRENGE



МАСНІМ



RAININ



SOUNDPROOF



4 - PIN










PROTECT FLOORS AND REDUCE NOISE

Our ANTISHOCK SHIELD solution is perfect for use in free weight areas due to the excellent impact and sound absorbing properties. ANTISHOCK tiles are most popular as for functional training, commercial gym flooring, weight room tiles, under gym machinery, as 2nd-floor gym flooring, as mats for Olympic lifting and much more. This flooring provides superior p rotection to the surface underneath, as the rubber studs shield compress under pressure to reverse the weight hit from the surface.

IMPORTANT FEATURES

- anti-slip protection
- sound and shock absorbing qualities: ΔLw up 21 dB, ΔRw up to 55 dB
- protection against injury
- surfaces STANDARD, PREMIUM, OVERLAYER
- easy assembly (DIY)
- fire resistance: EFL, DFL and CFL certificate







GRANULATE PRODUCTS_

RUBTILER RRT ANTISHOCK STANDARD/PREMIUM/MOSAIC/OVERLAYER

WIDTH	LENGTH	HEIGHT
1000 mm	1000 mm	25-65 mm
1000 mm	500 mm	25-65 mm
500 mm	500 mm	25-65 mm



RUBTILER

RUBTILER RRT ANTISHOCK with fire classification EFL, DFL-S1, CFL-S1

WIDTH	LENGTH	HEIGHT
1000 mm	1000 mm	25-65 mm
1000 mm	500 mm	25-65 mm
500 mm	500 mm	25-65 mm

13:07:07/04/2025



R-PAD


mm	-
09-	
20	

low antishock



antishock






R-PAD WITH 4-PIN CONNECTOR

TILE CONNECTOR

IMPORTANT FEATURES

- easy instalation with no adhesives
- compact and rigid matching
- move and replace individual tiles
- 4-PIN connector system for R-PAD and flat tiles
- customization of the bottom

UP TO 5 CONNECTORS
PER LINEAR METER
DEPENDING ON
INSTALATION WAY
AND TILE SIZE



RUBTILER R-PAD BOTTOM DESIGN heavy-duty with maximum shock absorption and anti-fatigue properties



WIDTH LENGTH HEIGHT
1000 mm 1000 mm 20-60 mm
1000 mm 500 mm 20-60 mm
500 mm 500 mm 20-45 mm



13:07:07/04/2025

GRANULATE PRODUCTS_

LOW ANTISHOCK

PROTECT FLOORS AND REDUCE NOISE

Our ANTISHOCK SHIELD solution is perfect for use in free weight areas due to the excellent impact and sound absorbing properties. ANTISHOCK tiles are most popular as for functional training, commercial gym flooring, weight room tiles, under gym machinery, as 2nd-floor gym flooring, as mats for Olympic lifting and much more. This flooring provides superior protection to the surface underneath, as the rubber studs shield compress under pressure to reverse the weight hit from the surface.

IMPORTANT FEATURES

- anti-slip protection
- sound and shock absorbing qualities: ΔLw up 21 dB, ΔRw up to 55 dB
- protection against injury
- easy installation (DIY) with no adhesives
- surfaces STANDARD, PREMIUM, OVERLAYER
- high repeatability
- VOC FREE
- CFL-S1, DFL-S1 and EFL fire certificate

RUBTILER RRT ANTISHOCK STANDARD/MOSAIC/OVERLAYER

WIDTH LENGTH HEIGHT 1000 mm 1000 mm 25-65 mm 1000 mm 500 mm 25-65 mm



T _IN_ RUBBER GRANULATE PRODUCTS_ 13:07:07/04/2025 RUBTILER CATALOGUE

FUNCTIONAL TRAINING AND FREE WEIGHTS

DEADLIFT PLATFORM

DF PLATFORM RUBTILER STRIKE

To maximize floor space while delivering sound and vibration properties, we created the Rubtiler DF Deadlift platform specifically suited for deadlifts. The fitness platform ensures that the impact of the fall is absorbed during weight dropping, providing you with a safer and more controlled lifting gym environment. No more worries about weights bouncing back or rolling away.

IMPORTANT FEATURES

- anti-slip protection
- sound and shock absorbing qualities: ΔLw up 21 dB, ΔRw up to 55 dB
- protection against injury
- overlayer surface & R-pad bottom
- 12 tiles 1000x500 mm, optionally 6 tiles 100x100 mm
- DIY installation
- steel powder-coating
- personalisation of logo on the frame

DF PLATFORM RUBTILER STRIKE

WIDTH LENGTH HEIGHT 3008 mm 2008 mm 40-50 mm





21





FITNESS



OUNDPROC






FITNESS ZONE AND SLED TRACK

RUBTILER SLED GRASS

RUBTILER tiles with artificial grass offer a safe, flexible space to practice new routines and weight training. Compatible with Rubtiler flooring.



IMPORTANT FEATURES

- SHORT pile height
- green and black colour
- resistant to heavy loads
- finishing accessories
- simple installation and removal (DIY)
- does not deform
- two shapes PUZZEL and SQUARE





RUBTILER SLED GRASS PUZZLE GREEN/BLACK

WIDTH LENGTH HEIGHT
980 mm 980 mm 10-30 mm



RUBTILER SLED GRASS SQUARE GREEN/BLACK

WIDTH LENGTH HEIGHT
1000 mm 1000 mm 10-30 mm



RUBBER BUMPER PLATES

HEAVY WEIGHTS

RUBBER BUMPER PLATES made of RR with a stainless steel sleeve with the possibility of customised logotype.

IMPORTANT FEATURES

- very durable rubber compound
- weight 5 kg, 10 kg, 15 kg, 20 kg
- diameter 45 cm
- certified, high impact resistance (20 000 throws no signs of wear)
- stainless steel protection sleeve
- smooth surface with embossed grammage and logo
- different colour versions
- high quality finish thanks to precisely designed forms
- customised logotype on request





RUBTILER RR BUMPER PLATE

DIAMETER WEIGHT
450 mm 5x10x15x20 kg



RUBTILER RR BUMPER PLATE MOSAICS

DIAMETER WEIGHT
450 mm 5x10x15x20 kg



RUBTILER RR BUMPER PLATE VIR&BACT

DIAMETER WEIGHT
450 mm 5x10x15x20 kg











OUTDOOR GYM

OUTDOOR SOLUTIONS

RUBTILER outdoor tiles are made from high quality recycled rubber and EPDM granules. Designed to keep you safe while exercising at the gym or athletic areas. The tiles are weatherproof, easy to maintain and have a long-lasting durability thanks to a proper drainage system. Perfect product for multifunctional sport courts and recreation areas.

IMPORTANT FEATURES

- fall height certified up to 340 cm HIC-RUBTILER system
- non-slip surface
- noise, shock, and thermal insulation
- available with UV protection
- water permeable for proper drainage
- laid on concrete screed, asphalt, well-hardened aggregate foundation
- perfect solution for home playground (training, football, badminton, tennis, etc.)
- easy installation and removal (DIY)
- possibility to cut tiles to fit equipment or irregular surface shapes





RUBTILER RRT DRAINAGE OUTDOOR GRILL

WIDTH LENGTH HEIGHT 1000 mm 1000 mm 25-65 mm 500 mm 500 mm 25-65 mm



RUBTILER RRT ANTISHOCK OUTDOOR

WIDTH LENGTH HEIGHT 1000 mm 1000 mm 25-65 mm 25-65 mm 1000 mm 500 mm 500 mm 500 mm 25-65 mm



RUBTILER RR CURBS

WIDTH HEIGHT LENGTH 750 mm 250 mm 45 mm



RUBTILER RR EDGES/RAMPS

WIDTH LENGTH HEIGHT 1000 mm 150 mm 25-60 mm





RUBTILER COLOUR COMBINATIONS

EPDM








RAL2008



RAL3016



RAL5015



RAL6011



RAL7038




RAL9004

EPDM MOSAIC



MOSAIC 10%




MOSAIC 10% **MOSAIC 10%**



MOSAIC 10%

RECYCLED RUBBER RR



Request a sample from your Rubtiler partner



Vinderen sp. z o.o. Jutrzenki 177 street 02-231 Warsaw, Poland info@rubtiler.com







GRANULATE PRODUCTS_

13:07:07/04/2025

RUBTILER

CATALOGUE

Ľ

















W W W. R U B T I L E R . C O M



RUBTILER PRODUCTION PLANT

Vinderen sp. z o.o. Leśna 4 street 26-332 Sławno, Poland

